

Kune - Defect #315

#signin(waveid) url fail since hashbangs

06/21/2012 01:27 AM - Vicente J. Ruiz Jurado

| | | | |
|--|-------------|------------------------|-----------|
| Status: | New | Start date: | |
| Priority: | Normal | Due date: | |
| Assignee: | | % Done: | 0% |
| Category: | Client side | Estimated time: | 0.00 hour |
| Target version: | | Tags: | |
| Resolution: | | | |
| Description | | | |
| <p>INFO: StageTwo: create id generator Thu Jun 21 01:25:52 CEST 2012 KuneLog INFO: StageTwo: create signed in user null Thu Jun 21 01:25:52 CEST 2012 KuneLog SEVERE: Error in 'onModuleLoad()' method java.lang.NullPointerException: Expected non-null address at org.waveprotocol.wave.model.util.Preconditions.checkNotNull(Preconditions.java:126) at org.waveprotocol.wave.model.wave.ParticipantId.validate(ParticipantId.java:71) at org.waveprotocol.wave.model.wave.ParticipantId.of(ParticipantId.java:132) at org.waveprotocol.wave.model.wave.ParticipantId.ofUnsafe(ParticipantId.java:148) at cc.kune.wave.client.CustomStageTwoProvider.createSignedInUser(CustomStageTwoProvider.java:108) at org.waveprotocol.wave.client.StageTwo\$DefaultProvider.getSignedInUser(StageTwo.java:329) at org.waveprotocol.wave.client.StageTwo\$DefaultProvider.createConnector(StageTwo.java:546) at org.waveprotocol.wave.client.StageTwo\$DefaultProvider.getConnector(StageTwo.java:349) at cc.kune.wave.client.CustomStageTwoProvider.install(CustomStageTwoProvider.java:133) at org.waveprotocol.wave.client.StageTwo\$DefaultProvider\$1.execute(StageTwo.java:258) at org.waveprotocol.wave.client.common.util.CountdownLatch.tick(CountdownLatch.java:64) at org.waveprotocol.wave.client.StageTwo\$DefaultProvider\$3.execute(StageTwo.java:277) at org.waveprotocol.wave.client.scheduler.BrowserBackedScheduler.workUnit(BrowserBackedScheduler.java:294) at org.waveprotocol.wave.client.scheduler.BrowserBackedScheduler.workAll(BrowserBackedScheduler.java:319) at org.waveprotocol.wave.client.scheduler.BrowserBackedScheduler.workSlice(BrowserBackedScheduler.java:367) at org.waveprotocol.wave.client.scheduler.BrowserBackedScheduler.access\$2(BrowserBackedScheduler.java:346) at org.waveprotocol.wave.client.scheduler.BrowserBackedScheduler\$1.run(BrowserBackedScheduler.java:40) at org.waveprotocol.wave.client.scheduler.GwtSimpleTimer\$2.run(GwtSimpleTimer.java:46) at com.google.gwt.user.client.Timer.fire(Timer.java:141) at sun.reflect.GeneratedMethodAccessor45.invoke(Unknown Source) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25) at java.lang.reflect.Method.invoke(Method.java:597) at com.google.gwt.dev.shell.MethodAdaptor.invoke(MethodAdaptor.java:103) at com.google.gwt.dev.shell.MethodDispatch.invoke(MethodDispatch.java:71) at com.google.gwt.dev.shell.OophmSessionHandler.invoke(OophmSessionHandler.java:157) at com.google.gwt.dev.shell.BrowserChannelServer.reactToMessagesWhileWaitingForReturn(BrowserChannelServer.java:326) at com.google.gwt.dev.shell.BrowserChannelServer.invokeJavascript(BrowserChannelServer.java:207) at com.google.gwt.dev.shell.ModuleSpaceOOPHM.doInvoke(ModuleSpaceOOPHM.java:126) at com.google.gwt.dev.shell.ModuleSpace.invokeNative(ModuleSpace.java:561) at com.google.gwt.dev.shell.ModuleSpace.invokeNativeObject(ModuleSpace.java:269) at com.google.gwt.dev.shell.JavaScriptHost.invokeNativeObject(JavaScriptHost.java:91) at com.google.gwt.core.client.impl.Impl.apply(Impl.java) at com.google.gwt.core.client.impl.Impl.entry0(Impl.java:214) at sun.reflect.GeneratedMethodAccessor26.invoke(Unknown Source) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)</p> | | | |

```
at java.lang.reflect.Method.invoke(Method.java:597)
at com.google.gwt.dev.shell.MethodAdaptor.invoke(MethodAdaptor.java:103)
at com.google.gwt.dev.shell.MethodDispatch.invoke(MethodDispatch.java:71)
at com.google.gwt.dev.shell.OophmSessionHandler.invoke(OophmSessionHandler.java:157)
at com.google.gwt.dev.shell.BrowserChannelServer.reactToMessages(BrowserChannelServer.java:281)
at com.google.gwt.dev.shell.BrowserChannelServer.processConnection(BrowserChannelServer.java:531)
at com.google.gwt.dev.shell.BrowserChannelServer.run(BrowserChannelServer.java:352)
at java.lang.Thread.run(Thread.java:662)
Thu Jun 21 01:25:53 CEST 2012 KuneLog
INFO: Wave client session: {"id":"EhGOAUOwjg","address":"test12@localhost","domain":"localhost"}
Thu Jun 21 01:25:54 CEST 2012 REMOTE_LOG
SEVERE: Token: 1340234754692
Expected non-null address
org.waveprotocol.wave.model.util.Preconditions.checkNotNull (Preconditions.java:126)
org.waveprotocol.wave.model.wave.ParticipantId.validate (ParticipantId.java:71)
org.waveprotocol.wave.model.wave.ParticipantId.of (ParticipantId.java:132)
org.waveprotocol.wave.model.wave.ParticipantId.ofUnsafe (ParticipantId.java:148)
cc.kune.wave.client.CustomStageTwoProvider.createSignedInUser (CustomStageTwoProvider.java:108)
org.waveprotocol.wave.client.StageTwo$DefaultProvider.getSignedInUser (StageTwo.java:329)
org.waveprotocol.wave.client.StageTwo$DefaultProvider.createConnector (StageTwo.java:546)
org.waveprotocol.wave.client.StageTwo$DefaultProvider.getConnector (StageTwo.java:349)
cc.kune.wave.client.CustomStageTwoProvider.install (CustomStageTwoProvider.java:133)
org.waveprotocol.wave.client.StageTwo$DefaultProvider$1.execute (StageTwo.java:258)
org.waveprotocol.wave.client.common.util.CountdownLatch.tick (CountdownLatch.java:64)
org.waveprotocol.wave.client.StageTwo$DefaultProvider$3.execute (StageTwo.java:277)
org.waveprotocol.wave.client.scheduler.BrowserBackedScheduler.workUnit (BrowserBackedScheduler.java:294)
org.waveprotocol.wave.client.scheduler.BrowserBackedScheduler.workAll (BrowserBackedScheduler.java:319)
org.waveprotocol.wave.client.scheduler.BrowserBackedScheduler.workSlice (BrowserBackedScheduler.java:367)
org.waveprotocol.wave.client.scheduler.BrowserBackedScheduler.access$2 (BrowserBackedScheduler.java:346)
org.waveprotocol.wave.client.scheduler.BrowserBackedScheduler$1.run (BrowserBackedScheduler.java:40)
org.waveprotocol.wave.client.scheduler.GwtSimpleTimer$2.run (GwtSimpleTimer.java:46)
com.google.gwt.user.client.Timer.fire (Timer.java:141)
sun.reflect.GeneratedMethodAccessor45.invoke (:??)
sun.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:25)
java.lang.reflect.Method.invoke (Method.java:597)
com.google.gwt.dev.shell.MethodAdaptor.invoke (MethodAdaptor.java:103)
com.google.gwt.dev.shell.MethodDispatch.invoke (MethodDispatch.java:71)
com.google.gwt.dev.shell.OophmSessionHandler.invoke (OophmSessionHandler.java:157)
com.google.gwt.dev.shell.BrowserChannelServer.reactToMessagesWhileWaitingForReturn (BrowserChannelServer.java:326)
com.google.gwt.dev.shell.BrowserChannelServer.invokeJavascript (BrowserChannelServer.java:207)
com.google.gwt.dev.shell.ModuleSpaceOOPHM.doInvoke (ModuleSpaceOOPHM.java:126)
com.google.gwt.dev.shell.ModuleSpace.invokeNative (ModuleSpace.java:561)
com.google.gwt.dev.shell.ModuleSpace.invokeNativeObject (ModuleSpace.java:269)
com.google.gwt.dev.shell.JavaScriptHost.invokeNativeObject (JavaScriptHost.java:91)
com.google.gwt.core.client.impl.Impl.apply (Impl.java:)
com.google.gwt.core.client.impl.Impl.entry0 (Impl.java:214)
sun.reflect.GeneratedMethodAccessor26.invoke (??:??)
sun.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:25)
java.lang.reflect.Method.invoke (Method.java:597)
com.google.gwt.dev.shell.MethodAdaptor.invoke (MethodAdaptor.java:103)
com.google.gwt.dev.shell.MethodDispatch.invoke (MethodDispatch.java:71)
com.google.gwt.dev.shell.OophmSessionHandler.invoke (OophmSessionHandler.java:157)
com.google.gwt.dev.shell.BrowserChannelServer.reactToMessages (BrowserChannelServer.java:281)
```

```
com.google.gwt.dev.shell.BrowserChannelServer.processConnection (BrowserChannelServer.java:531)
com.google.gwt.dev.shell.BrowserChannelServer.run (BrowserChannelServer.java:352)
java.lang.Thread.run (Thread.java:662)
```