

Kune - Defect #322

/http-bind/ in Kune

07/12/2012 06:25 PM - Rubiq Maso

Status:	Rejected	Start date:	07/12/2012
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:	Public space	Estimated time:	0.00 hour
Target version:	0.2.0	Tags:	
Resolution:	invalid		

Description

hi,
I have fresh debian instalation, kune behind NGINX reverse proxy installed on the same host.

The configuration of nginx is:

```
server {  
    listen 192.168.2.13:80; ## listen for ipv4  
    server_name kune.mynet  
    access_log /var/log/nginx/kune.mynet-access.log;  
    location / {  
        proxy_pass http://localhost;  
        proxy_next_upstream error timeout invalid_header http_500 http_502 http_503;  
        proxy_set_header Host $host;  
        proxy_set_header X-Real-IP $remote_addr;  
        proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;  
        proxy_set_header X-Forwarded-Proto http;  
        proxy_redirect off;  
    }  
    upstream localhost {  
        server 127.0.0.1:8888;  
    }  
}
```

I have still the "connecting" sign at the top of the page, I looked up to the jsript console, and there is:

Failed to load resource: the server responded with a status of 500
(Socket opening: localhost:5280 >> java.net.ConnectException: Connection refused) <http://kune.mynet/http-bind/>

Failed to load resource: the server responded with a status of 500
(Socket opening: localhost:5280 >> java.net.ConnectException: Connection refused) <http://kune.mynet/http-bind/>

Failed to load resource: the server responded with a status of 500
(Socket opening: localhost:5280 >> java.net.ConnectException: Connection refused) <http://kune.mynet/http-bind/>

Failed to load resource: the server responded with a status of 500
(Socket opening: localhost:5280 >> java.net.ConnectException: Connection refused) <http://kune.mynet/http-bind/>

...

when I'm trying to access /http-bind/ (as defined in kune.properties as kune.chat.httpbase = /http-bind/), I've got an error 500. The same error I've got, when I'm trying to access the page directly on the server - lynx <http://localhost:8888/http-bind/> - the error is not from the nginx reverse proxy, but directly from kune.

Please tell me what's wrong, or what do you need to know to diagnose the problem.

Thanks in advance

O.Pachner, Prague, Czech Republic

History

#1 - 07/12/2012 07:53 PM - Vicente J. Ruiz Jurado

Hi there,

We use to configure that under a proxy. See for instance Appendix D in:

<https://code.google.com/p/emite/wiki/QuickStart>

it's quite old, but is what we usually do.

/http-bind/ is only used for the chat app, so go step by step. First make the normal kune app to run (forget the chat), later, make the /http-bind/ and the chat work with a correct proxy configuration (you need to have openfire correctly installed).

Anyway, the big thing to run kune under a proxy is not the http-bind stuff, but the websocket connection (the error you get "Connecting" means that cannot establish the websocket connection). More info of how to do it, here:

<http://kune.cc/?locale=es#!kune.docs.6810.1671>

I hope this helps. If you can share later with us your nginx con...

#2 - 07/12/2012 07:58 PM - Vicente J. Ruiz Jurado

- Status changed from New to Rejected

- Resolution set to invalid